

Berker R.1 / R.3

It stands unmistakably in the tradition of great switch programmes. Its product range comprises all the properties of a contemporary surface switch. And, just like this, its stable plastic base makes it both robust and break-proof.



Socket outlet (SCHUKO)	2
Socket outlet (international)	4
Rocker	5
Conventional electronic application module	7
Conventional electronic power module	9
Thermostat	10
Centre plate	11
Multimedia outlets	14
Berker R.1 frame	15
Berker R.3 frame	19
Accessories	21



47282045

Berker R.1 - SCHUKO double outlet with cover plate

Description	P.U.	Cat ref.
SKO DP-STD STKL R.1 SCHW	10	47282045
SKO DP-STD STKL R.1 P-W	10	47282089
SKO DP-STD M ERHBS U STKL R.1 SCHW	10	47292045
SKO DP-STD M ERHBS U STKL R.1 P-W	10	47292089



41432045

SCHUKO


Description	P.U.	Cat ref.
SKO STD M SRBKL R.1 SCHW	10	41432045
SKO STD M SRBKL R.1 P-W	10	41432089
SKO STD M STKL U ERHBS R.1 SCHW	10	47232045
SKO STD M STKL U ERHBS R.1 P-W	10	47232089
SKO STD R.1 SCHW	10	47432045
SKO STD R.1 P-W	10	47432089



47272045

SCHUKO 45°


Description	P.U.	Cat ref.
SKO STD 45° M STKL R.1 SCHW	10	47272045
SKO STD 45° M STKL R.1 P-W	10	47272089



41102003

SCHUKO for special applications

Description	P.U.	Cat ref.
SKO-STD M LED ERHBS R.1 GRÜ	10	41102003
SKO-STD M LED ERHBS R.1 ORA	10	41102007
SKO-STD M LED ERHBS R.1 ROT	10	41102022
SKO STD M STKL U AD "SV" R.1 GRÜ	10	47432003
SKO STD M STKL U AD "ZSV" R.1 ORA	10	47432007
SKO STD M STKL U AD "EDV" R.1 ROT	10	47432022



41102045

SCHUKO with control LED


Description	P.U.	Cat ref.
SKO-STD M LED ERHBS R.1 SCHW	10	41102045
SKO-STD M LED ERHBS R.1 P-W	10	41102089



SCHUKO with hinged cover

Description	P.U.	Cat ref.
SKO STD M KLD U ERHBS R.1 SCHW	10	47442045
SKO STD M KLD U ERHBS R.1 P-W	10	47442089
SKO STD M SS KLD U ERHBS R.1 SCHW	10	47512045
SKO STD M SS KLD U ERHBS R.1 P-W	10	47512089


47442045



SCHUKO with hinged cover and touchable symbol

Description	P.U.	Cat ref.
SKO STD M KLD ABT-SYB U ERHBS R.1 P-W	10	47442079


47442079



SCHUKO with LED orientation light

Description	P.U.	Cat ref.
SKO-STD M AMBEL SRBKL R.1 SCHW GLÄ	10	41092045
SKO-STD M AMBEL SRBKL R.1 P-W GLÄ	10	41092089


41092045



6167032045

Socket outlet without earthing contact

Description	P.U.	Cat ref.
STD O SZ-KT M STKL R.1 SCHW	10	6167032045
STD O SZ-KT M STKL R.1 P-W	10	6167032089



6765832089

Socket outlet with earthing pin and hinged cover

Description	P.U.	Cat ref.
STD M E-ST KLD ERHBS R.1 P-W	10	6765832089
STD M E-ST KLD ERHBS R.1 SCHW	10	6765832045



6765092089

Socket outlet with earthing pin and control LED

Description	P.U.	Cat ref.
STD M E-ST LED ERHBS R.1 P-W	10	6765092089
STD M E-ST LED ERHBS R.1 SCHW	10	6765092045



6765092022

Socket outlet with earthing pin for special applications


Description	P.U.	Cat ref.
STD M E-ST LED ERHBS R.1 ROT	10	6765092022
STD M E-ST LED ERHBS R.1 GRÜ	10	6765092003
STD M E-ST LED ERHBS R.1 ORA	10	6765092007



16202045

Rocker 1-gang

Description	P.U.	Cat ref.
WIP R.1 SCHW	10	16202045
WIP R.1 P-W	10	16202089



16202005

Rocker 1-gang with lens/imprints


Description	P.U.	Cat ref.
AS WIP M AD SYB PFEILE R.1 SCHW	10	16202005
AS WIP SYB SCHLUESSEL R.1 SCHW	10	16202015
AS WIP SYB GLOCKE R.1 SCHW	10	16202025
AS WIP SYB LICHT R.1 SCHW	10	16202035
AS WIP M AD SYB PFEILE R.1 P-W	10	16202049
AS WIP SYB SCHLUESSEL R.1 P-W	10	16202059
AS WIP SYB GLOCKE R.1 P-W	10	16202069
AS WIP SYB LICHT R.1 P-W	10	16202079
AS WIP M LN SYB "LICHT" R.1 SCHW	10	16212035
AS WIP M LN R.1 SCHW	10	16212045
AS WIP M LN HEIZ R.1 P-W	10	16212049
AS WIP M LN SYB "LICHT" R.1 P-W	10	16212079
AS WIP M LN R.1 P-W	10	16212089
AS WIP M AD "0" R.1 SCHW	10	16222045
AS WIP M AD "0" R.1 P-W	10	16222089
AS WIP M LN U AD "0" R.1 SCHW	10	16242045
AS WIP M LN U AD "0" R.1 P-W	10	16242089



16512049

Rocker 1-gang with touchable symbol/lens

Description	P.U.	Cat ref.
AS WIP W M LN U SYB "GL" R.1 P-W	10	16512049
AS WIP W M LN U SYB "SCHLÜ" R.1 P-W	10	16512069
AS WIP W M LN U SYB "GLO" R.1 P-W	10	16512089
AS WIP W M LN U FFM R.1 P-W	10	16612049



16232045

Rocker 2-gang


Description	P.U.	Cat ref.
S-WIP R.1 SCHW	10	16232045
S-WIP R.1 P-W	10	16232089



16252045

Rocker 2-gang with lens/imprints

Description	P.U.	Cat ref.
AS WIP S M AD SYB "PFEIL" R.1 SCHW	10	16252045
AS WIP S M AD SYB "PFEIL" R.1 P-W	10	16252089
S-WIP M LN R.1 SCHW	10	16272045
S-WIP M LN R.1 P-W	10	16272089
AS WIP S M AD SYB "PFEILE" R.1 SCHW	10	16442045
AS WIP S M AD SYB "PFEILE" R.1 P-W	10	16442089



16652045

Rocker 3-gang

Description	P.U.	Cat ref.
AS WIP 3XAUS R.1 SCHW	10	16652045



push button 1-gang for light control

Description	P.U.	Cat ref.
HBNet Taste1k Licht R.1 SCHW GLÄ	1	85141131
HBNet Taste1k Licht R.1 P-W GLÄ	1	85141139

85141131



push button 2-gang for light control

Description	P.U.	Cat ref.
HBNet Taste 2k Licht R.1 SCHW GLÄ	1	85142131
HBNet Taste 2k Licht R.1 P-W GLÄ	1	85142139

85142131



Motion detector (1.1 m)

Description	P.U.	Cat ref.
HBNet WÄCH STANDARD 1,1m R.1 SCHWARZ GLÄ	1	85341131
HBNet WÄCH STANDARD 1,1m R.1 P-W GLÄ	1	85341139

85341131



Motion detector (2.2 m)

Description	P.U.	Cat ref.
HBNet WÄCH STAND 2,2 M R.1 SCHW GLÄ	1	85342131
HBNet WÄCH STAND 2,2 M R.1 P-W GLÄ	1	85342139

85342131



Motion detector comfort (1.1 m)

Description	P.U.	Cat ref.
IR motion det. comf 1.1m R.1/R.3, black	1	85341231
IR motion det. comf 1.1m R.1/R.3, pw	1	85341239

85341231



Motion detector comfort (2.2 m)

Description	P.U.	Cat ref.
IR motion det. comf 2.2m R.1/R.3, black	1	85342231
IR motion det. comf 2.2m R.1/R.3, pw	1	85342239


85342231



Blind time switch

Description	P.U.	Cat ref.
HBNet ZSU JAL R.1 SCHWARZ GLÄ	1	85741131
HBNet ZSU JAL R.1 P-W GLÄ	1	85741139


85741131



push button for blind control

Description	P.U.	Cat ref.
HBNet TA 1k JAL R.1 SCHWARZ GLÄ	1	85241131
HBNet TA 1k JAL R.1 P-WEIß GLÄ	1	85241139


85241131



85121100

Power module for light control

Description	P.U.	Cat ref.
Switch insert 1gang, Electronics platf.	1	85121100
HBNet RL-SCHE 230V 1K M NS-EING	1	85121200
Touch dimmer (R, L), Electronics platf.	1	85421100
Uni touch dimmer 1g., Electronics platf.	1	85421200
Switch insert 2gang, Electronics platf.	1	85122200
Uni touch dimmer 2g., Electronics platf.	1	85422100
HBNet WÄCH NS	1	85320100



85221100

Power module for blind control


Description	P.U.	Cat ref.
Blind insert comfort, Electronics platf.	1	85221100



Floor thermostat with NO contact

Description	P.U.	Cat ref.
FUßBT M Z-ST, REGKNF U 2 LN R.1 SCHW	1	20342045
FUßBT M Z-ST, REGKNF U 2 LN R.1 P-W	1	20342089


20342045



Thermostat with change-over switch

Description	P.U.	Cat ref.
RTR W M Z-ST R.1 SCHW	1	20262045
RTR W M Z-ST R.1 P-W	1	20262089

20262045



Thermostat with NC contact

Description	P.U.	Cat ref.
RTR Ö M Z-ST, WIP-SCH U LN R.1 SCHW	1	20302045
RTR Ö M Z-ST, WIP-SCH U LN R.1 P-W	1	20302089


20302045



Thermostat, time controlled, with NO contact

Description	P.U.	Cat ref.
RTR ZGS M Z-ST R.1 SCHW	1	20452045
RTR ZGS M Z-ST R.1 P-W	1	20452089

20452045

**Blank plate**

Description	P.U.	Cat ref.
BLINDV R.1 SCHW	20	10092035
BLINDV M Z-ST R.1 SCHW	20	10092045
BLINDV R.1 P-W	20	10092079
BLINDV M Z-ST R.1 P-W	20	10092089

10092035

**centre plate for cable outlet**


Description	P.U.	Cat ref.
Z-ST F KA U VDO-ASD R.1 SCHW	10	10192045
Z-ST F KA U VDO-ASD R.1 P-W	10	10192089

10192045

**for aerial socket outlet**

Description	P.U.	Cat ref.
Z-ST F ANT-STD 2 U 3 LO R.1 SCHW	10	12032045
Z-ST F ANT-STD 2 U 3 LO R.1 P-W	10	12032089
ZPL F ANT-STD 4 LOCH R.1 SCHW	10	14842045
ZPL F ANT-STD 4 LOCH R.1 P-W	10	14842089

12032045

**for FCC (RJ45) outlets**

Description	P.U.	Cat ref.
Z-ST M STAUBSS 1F R.1 SCHW	10	11702045
Z-ST M STAUBSS 1F R.1 P-W	10	11702089
Z-ST M STAUBSS 2F R.1 SCHW	10	11812045
Z-ST M STAUBSS 2F R.1 P-W	10	11812089
Z-ST F UAE-ASD R.1 SCHW	10	14072045
Z-ST F UAE-ASD R.1 P-W	10	14072089
Z-ST F UAE/E-DAT DES TK ISDN-ASD R.1 SCH	10	14092045
Z-ST F UAE/E-DAT DES TK ISDN-ASD R.1 P-W	10	14092089

11702045

**for light signals**

Description	P.U.	Cat ref.
Z-ST F DKTA U LICHTS E10 R.1 SCHW	10	11242045
Z-ST F DKTA U LICHTS E10 R.1 P-W	10	11242089
Z-ST F LICHTS E14 IP44 R.1 SCHW	10	11982045
Z-ST F LICHTS E14 IP44 R.1 P-W	10	11982089


11242045



for loudspeaker outlet

Description	P.U.	Cat ref.
Z-ST F LSP-STD 1F R.1 SCHW	10	11962045
Z-ST F LSP-STD 1F R.1 P-W	10	11962089


11962045



for pullcord switch/button

Description	P.U.	Cat ref.
Z-ST F Z-SCH R.1 SCHW	10	11462045
Z-ST F Z-SCH R.1 P-W	10	11462089


11462045



for rotary dimmer incl. setting knob

Description	P.U.	Cat ref.
Z-ST M KNF F D-DIM R.1 SCHW	10	11372045
Z-ST M KNF F D-DIM R.1 P-W	10	11372089

11372045



for signal and command unit, Ø 22.5 mm

Description	P.U.	Cat ref.
Centre plate opening Ø 22.5 mm R.x yell.	10	14322006
Centre plate opening Ø 22.5 mm R.x black	10	14322045
Centre plate opening Ø 22.5 mm R.x pw	10	14322089

14322006



with rotary knob for 3-step switch

Description	P.U.	Cat ref.
Z-ST M KNL F 3ST-SCH O 0-ST R.1 SCHW	1	10842045
Z-ST M KNL F 3ST-SCH O 0-ST R.1 P-W	1	10842089
Z-ST M KNL F 3ST-SCH M 0-ST R.1 SCHW	1	10962045
Z-ST M KNL F 3ST-SCH M 0-ST R.1 P-W	1	10962089

10842045



with rotary knob for blind rotary switch

Description	P.U.	Cat ref.
Z-ST M KNL F JAL-D-SCH R.1 SCHW	1	10802045
Z-ST M KNL F JAL-D-SCH R.1 P-W	1	10802089


10802045



with rotary knob for mechanical time switch

Description	P.U.	Cat ref.
Z-ST M KNL F ZSU 15 MIN R.1 SCHW	1	16322045
Z-ST M KNL F ZSU 15 MIN R.1 P-W	1	16322089
Z-ST M KNL F ZSU 120 MIN R.1 SCHW	1	16332045
Z-ST M KNL F ZSU 120 MIN R.1 P-W	1	16332089

16322045



with TAE cutout

Description	P.U.	Cat ref.
Z-ST F TAE- U LSP- ASD R.1 SCHW	10	10382045
Z-ST F TAE- U LSP- ASD R.1 P-W	10	10382089


10382045



with TDO cutout

Description	P.U.	Cat ref.
Z-ST F TDO- U LSP- ASD R.1 P-W	10	6810332089
Z-ST F TDO- U LSP- ASD R.1 SCHW	10	6810332045


6810332089



3315402045

VGA outlet


Description	P.U.	Cat ref.
BMO VGA R.1 SCHW	10	3315402045
BMO VGA R.1 P-W	10	3315402089
BMO VGA-PCB R.1 SCHW	10	3315412045
BMO VGA-PCB R.1 P-W	10	3315412089



3315422045

HDMI outlet


Description	P.U.	Cat ref.
HD-STD R.1 SCHW	10	3315422045
HD-STD R.1 P-W	10	3315422089
BMO HDMI-CABLE 90° R.1 SCHW	10	3315432045
BMO HDMI-CABLE 90° R.1 P-W	10	3315432089



3315322045

3x Cinch / S-Video outlet

Description	P.U.	Cat ref.
BMO CINCH/S-VIDEO R.1 SCHW	10	3315322045
BMO CINCH/S-VIDEO R.1 P-W	10	3315322089



3315392045

USB / 3.5mm Audio outlet

Description	P.U.	Cat ref.
BMO USB/3.5MM AUDIO R.1 SCHW	10	3315392045
BMO USB/3.5MM AUDIO R.1 P-W	10	3315392089

**acrylic orange / black**

Description	P.U.	Cat ref.
R.1 Rahmen Acrylic Orange translucent/b	1	10112334
R.1 Rahmen Acrylic Orange translucent/b	1	10122334
R.1 Rahmen Acrylic Orange translucent/b	1	10132334
R.1 Rahmen Acrylic Orange translucent/b	1	10142334
R.1 Rahmen Acrylic Orange translucent/b	1	10152334

10112334

**acrylic orange / polar white**

Description	P.U.	Cat ref.
R.1 Rahmen Acrylic Orange translucent/p	1	10112339
R.1 Rahmen Acrylic Orange translucent/p	1	10122339
R.1 Rahmen Acrylic Orange translucent/p	1	10132339
R.1 Rahmen Acrylic Orange translucent/p	1	10142339
R.1 Rahmen Acrylic Orange translucent/p	1	10152339

10112339

**acrylic red / black**

Description	P.U.	Cat ref.
R.1 Rahmen Acrylic Red translucent/blac	1	10112344
R.1 Rahmen Acrylic Red translucent/blac	1	10122344
R.1 Rahmen Acrylic Red translucent/blac	1	10132344
R.1 Rahmen Acrylic Red translucent/blac	1	10142344
R.1 Rahmen Acrylic Red translucent/blac	1	10152344

10112344

**acrylic red / polar white**

Description	P.U.	Cat ref.
R.1 Rahmen Acrylic Red translucent/pola	1	10112349
R.1 Rahmen Acrylic Red translucent/pola	1	10122349
R.1 Rahmen Acrylic Red translucent/pola	1	10132349
R.1 Rahmen Acrylic Red translucent/pola	1	10142349
R.1 Rahmen Acrylic Red translucent/pola	1	10152349

10112349

**aluminum / black**

Description	P.U.	Cat ref.
RA 1-F R.1 ALU SCHW	10	10112184
RA 2-F R.1 ALU SCHW	10	10122184
RA 3-F R.1 ALU SCHW	10	10132184
RA 4-F R.1 ALU SCHW	2	10142184
RA 5-F R.1 ALU SCHW	2	10152184

10112184

**aluminum / polar white**

Description	P.U.	Cat ref.
RA 1-F R.1 ALU P-W	10	10112174
RA 2-F R.1 ALU P-W	10	10122174
RA 3-F R.1 ALU P-W	10	10132174
RA 4-F R.1 ALU P-W	2	10142174
RA 5-F R.1 ALU P-W	2	10152174

10112174

**concrete / black**

Description	P.U.	Cat ref.
R.1 Rahmen Concrete/black 1gang	1	10112374
R.1 Rahmen Concrete/black 2gang	1	10122374
R.1 Rahmen Concrete/black 3gang	1	10132374

10112374

**concrete / polar white**

Description	P.U.	Cat ref.
R.1 Rahmen Concrete/polarwhite 1gang	1	10112379
R.1 Rahmen Concrete/polarwhite 2gang	1	10122379
R.1 Rahmen Concrete/polarwhite 3gang	1	10132379

10112379

**glass black**

Description	P.U.	Cat ref.
RA 1-F R.1 GLAS SCHW	10	10112116
RA 2-F R.1 GLAS SCHW	5	10122116
RA 3-F R.1 ALU SCHW	5	10132116
RA 4-F R.1 GLAS SCHW	1	10142116
RA 5-F R.1 GLAS SCHW	1	10152116

10112116

**glass polar white**

Description	P.U.	Cat ref.
RA 1-F R.1 GLAS P-W	10	10112109
RA 2-F R.1 GLAS P-W	5	10122109
RA 3-F R.1 GLAS P-W	5	10132109
RA 4-F R.1 GLAS P-W	1	10142109
RA 5-F R.1 GLAS P-W	1	10152109

10112109



10112364

leather brown / black

Description	P.U.	Cat ref.
R.1 Rahmen Leather brown /black 1gang	1	10112364
R.1 Rahmen Leather brown /black 2gang	1	10122364
R.1 Rahmen Leather brown /black 3gang	1	10132364
R.1 Rahmen Leather brown /black 4gang	1	10142364
R.1 Rahmen Leather brown /black 5gang	1	10152364



10112369

leather brown / polar white

Description	P.U.	Cat ref.
R.1 Rahmen Leather brown /polarwhite 1ga	1	10112369
R.1 Rahmen Leather brown /polarwhite 2ga	1	10122369
R.1 Rahmen Leather brown /polarwhite 3ga	1	10132369
R.1 Rahmen Leather brown /polarwhite 4ga	1	10142369
R.1 Rahmen Leather brown /polarwhite 5ga	1	10152369



10112135

plastic black

Description	P.U.	Cat ref.
RA 1-F M BSF R.X SCHW	10	10112135
RA 1-F R.1 SCHW	10	10112145
RA 2-F M BSF SENK R.X SCHW	2	10122125
RA 2-F M BSF WAAG R.X SCHW	2	10122135
RA 2-F R.1 SCHW	2	10122145
RA 3-F M BSF SENK R.X SCHW	2	10132125
RA 3-F M BSF WAAG R.X SCHW	2	10132135
RA 3-F R.1 SCHW	10	10132145
RA 4-F R.1 SCHW	2	10142145
RA 5-F R.1 SCHW	2	10152145



10112179

plastic polar white

Description	P.U.	Cat ref.
RA 1-F M BSF R.X P-W	10	10112179
RA 1-F R.1 P-W	10	10112189
RA 2-F M BSF SENK R.X P-W	2	10122169
RA 2-F M BSF WAAG R.X P-W	2	10122179
RA 2-F R.1 P-W	2	10122189
RA 3-F M BSF SENK R.X P-W	2	10132169
RA 3-F M BSF WAAG R.X P-W	2	10132179
RA 3-F R.1 P-W	2	10132189
RA 4-F R.1 P-W	2	10142189
RA 5-F R.1 P-W	2	10152189



10112384

slate / black

Description	P.U.	Cat ref.
R.1 Rahmen Slate/black 1gang	1	10112384
R.1 Rahmen Slate/black 2gang	1	10122384
R.1 Rahmen Slate/black 3gang	1	10132384

**slate / polar white**

Description	P.U.	Cat ref.
R.1 Rahmen Slate/polarwhite 1gang	1	10112389
R.1 Rahmen Slate/polarwhite 2gang	1	10122389
R.1 Rahmen Slate/polarwhite 3gang	1	10132389

10112389

**smoked oak / black**

Description	P.U.	Cat ref.
R.1 Rahmen Smoked oke/black 1gang	1	10112354
R.1 Rahmen Smoked oke/black 2gang	1	10122354
R.1 Rahmen Smoked oke/black 3gang	1	10132354
R.1 Rahmen Smoked oke/black 4gang	1	10142354
R.1 Rahmen Smoked oke/black 5gang	1	10152354

10112354

**smoked oak / polar white**

Description	P.U.	Cat ref.
R.1 Rahmen Smoked oke/polarwhite 1gang	1	10112359
R.1 Rahmen Smoked oke/polarwhite 2gang	1	10122359
R.1 Rahmen Smoked oke/polarwhite 3gang	1	10132359
R.1 Rahmen Smoked oke/polarwhite 4gang	1	10142359
R.1 Rahmen Smoked oke/polarwhite 5gang	1	10152359

10112359

**stainless steel / black**


Description	P.U.	Cat ref.
RA 1-F R.1 E-STAHl SCHW	10	10112104
RA 2-F R.1 E-STAHl SCHW	10	10122104
RA 3-F R.1 E-STAHl SCHW	10	10132104
RA 4-F R.1 E-STAHl SCHW	2	10142104
RA 5-F R.1 E-STAHl SCHW	2	10152104

10112104

**stainless steel / polar white**

Description	P.U.	Cat ref.
RA 1-F R.1 E-STAHl P-W	10	10112114
RA 2-F R.1 E-STAHl P-W	10	10122114
RA 3-F R.1 E-STAHl P-W	10	10132114
RA 4-F R.1 E-STAHl P-W	2	10142114
RA 5-F R.1 E-STAHl P-W	2	10152114

10112114

**aluminum / black**


Description	P.U.	Cat ref.
RA 1-F R3 ALU SCHW	10	10112284
RA 2-F R3 ALU SCHW	10	10122284
RA 3-F R3 ALU SCHW	10	10132284
RA 4-F R3 ALU SCHW	2	10142284
RA 5-F R3 ALU SCHW	2	10152284

10112284

**aluminum / polar white**

Description	P.U.	Cat ref.
RA 1-F R3 ALU P-W	10	10112274
RA 2-F R3 ALU P-W	10	10122274
RA 3-F R3 ALU P-W	10	10132274
RA 4-F R1 HARD EDGE ALU WEIß	2	10142274
RA 5-F R3 ALU P-W	2	10152274

10112274

**glass black**

Description	P.U.	Cat ref.
RA 1-F R3 GLAS SCHW	10	10112216
RA 2-F R3 GLAS SCHW	5	10122216
RA 3-F R3 GLAS SCHW	5	10132216
RA 4-F R3 GLAS SCHW	1	10142216
RA 5-F R3 GLAS SCHW	1	10152216

10112216

**glass polar white**

Description	P.U.	Cat ref.
RA 1-F R3 GLAS P-W	10	10112209
RA 2-F R3 GLAS P-W	5	10122209
RA 3-F R3 GLAS P-W	5	10132209
RA 4-F R3 GLAS P-W	1	10142209
RA 5-F R3 Glas P-W	1	10152209

10112209

**plastic black**

Description	P.U.	Cat ref.
RA 1F M BSF R.X SCHW	10	10112235
RA 1-F R3 SCHW	10	10112245
RA 2-F M BSF SENK R.X SCHW	2	10122225
RA 2-F M BSF WAAG R.X SCHW	2	10122235
RA 2-F R3 SCHW	2	10122245
RA 3-F M BSF SENK R.X SCHW	2	10132225
RA 3-F M BSF WAAG R.X SCHW	2	10132235
RA 3-F R3 SCHW	10	10132245
RA 4-F R3 SCHW	2	10142245
RA 5-F R3 SCHW	2	10152245

10112235



10112279

plastic polar white

Description	P.U.	Cat ref.
RA 1-F M BSF R.X P-W	10	10112279
RA 1-F R3 P-W	10	10112289
RA 2-F M BSF SENK R.X P-W	2	10122269
RA 2-F M BSF WAAG R.X P-W	2	10122279
RA 2-F R3 P-W	2	10122289
RA 3-F M BSF SENK R.X P-W	2	10132269
RA 3-F M BSF WAAG R.X P-W	2	10132279
RA 3-F R3 P-W	2	10132289
RA 4-F R3 P-W	2	10142289
RA 5-F R3 P-W	2	10152289



10112204

stainless steel / black

Description	P.U.	Cat ref.
RA 1-F R3 E-STAHL HARD EDGE SCHW	10	10112204
RA 2-F R3 E-STAHL HARD EDGE SCHW	10	10122204
RA 3-F R3 E-STAHL HARD EDGE SCHW	10	10132204
RA 4-F R3 E-STAHL HARD EDGE SCHW	2	10142204
RA 5-F R3 E-STAHL HARD EDGE SCHW	2	10152204



10112214

stainless steel / polar white

Description	P.U.	Cat ref.
RA 1-F R3 E-STAHL P-W	10	10112214
RA 2-F R3 E-STAHL P-W	10	10122214
RA 3-F R3 E-STAHL P-W	10	10132214
RA 4-F R3 E-STAHL P-W	2	10142214
RA 5-F R3 E-STAHL P-W	2	10152214



10107600

sealing set

Description	P.U.	Cat ref.
Sealing setfor	1	10107600
DICHTUNGSSET F SCH IP44 R.1	1	10107700